

BLUEBERRY

Sample non-fruiting terminals only. Take leaves that are fully expanded on the latest flush.

Collect at least **40 leaves** through the orchard, no more than 3 per bush to obtain a representative sample. Sample at the upper half of the bush, at up to three different points around the plant.

Sap 4 comprehensive sap analysis is **not** available for this crop.

Monitoring program

Begin sampling at pre-flowering stage, monthly to harvest, or sample by crop stage.

Additional Notes:


- To ensure that the laboratory is able to perform the entire test suite required and that the optimal levels supplied on the laboratory report are relevant, please ensure that the above instructions are followed.
- Place samples into a plastic sample bag, not in paper, as paper will dry out the sample and may not allow for enough sap to be extracted for the analysis requested.



1ST FULLY EXPANDED LEAF

BLUEBERRY

DIFFERENTIAL SAP ANALYSIS



Sampling for new leaf and old leaf testing:

Sample non-fruiting terminals only. Take leaves that are about $\frac{3}{4}$ expanded on the latest flush. This will be your NEW LEAF SAMPLE.

Take the old leaves from the same growing stem. This will be your OLD LEAF SAMPLE.

Sample for each sample type through the orchard, no more than 3 per tree (of each sample type) to obtain a representative sample. Sample at about shoulder height, at up to three different points around the tree.

Monitoring program

Begin sampling at pre-flowering stage, monthly to harvest, or sample by crop stage.



NEW LEAF

OLD LEAF