PLUM

Sample non-fruiting terminals only. Take leaves that are fully expanded on the latest flush.

Sample at least 40 leaves through the orchard, no more than 3 per tree. Sample at about shoulder height, at up to three different points around the tree.

No Sap 4 comprehensive sap analysis is available for this crop.

Monitoring program

Begin sampling when first leaves of new flush reach maturity. Sample fortnightly or monthly to peak harvest.

POST SAMPLES TO: LOCKED BAG 3901
BUNDABERG QLD
4670

PLUM
DIFFERENTIAL SAP ANALYSIS

HORTUS Analytical Solutions

Sampling for new leaf and old leaf testing:

Sample non-fruiting terminals only. Take leaves that are fully expanded on the latest flush. This will be your NEW LEAF SAMPLE.

Take the old leaves from the same growing stem. This will be your OLD LEAF SAMPLE.

Sample for each sample type through the orchard, no more than 3 per tree (of each sample type) to obtain a representative sample. Sample at about shoulder height, at up to three different points around the tree.

Monitoring program

Begin sampling when first leaves of new flush reach maturity. Sample fortnightly or monthly to peak harvest.

Due to the preparation of the sap samples from a Citrus crop, pH, EC & Brix tests cannot be performed.

NOVUM™ LIFESCIENCES Naturally Innovative

POST SAMPLES TO: LOCKED BAG 3901
BUNDABERG QLD
4670

HORTUS Analytical Solutions