

LEMON GRASS

Take the first fully expanded leaf. The part to be tested is the midrib of the leaves.

Sample at least **100 leaves** from across the sampling area to obtain a representative sample.

If you require a Sap 4 comprehensive analysis please collect **two times** as many leaves.

Monitoring program

Sample monthly during growing season.

Additional Notes:

- To ensure that the laboratory is able to perform the entire test suite required and that the optimal levels supplied on the laboratory report are relevant, please ensure that the above instructions are followed.



- Place samples into a plastic sample bag, not in paper, as paper will dry out the sample and may not allow for enough sap to be extracted for the analysis requested.

LEMON GRASS

DIFFERENTIAL SAP ANALYSIS



Sampling for new leaf and old leaf testing:

- Take the the first fully expanded leaf out from the growing point. BE SURE TO TAKE WHOLE LEAF & STEM (petiole + midrib), not just the leaflets. This will be your NEW LEAF SAMPLE.
- Take an old leaf from the same growing stem. BE SURE TO TAKE WHOLE LEAF & STEM (petiole + midrib), not just the leaflets. This will be your OLD LEAF SAMPLE.
- Sample randomly across the block to obtain a representative sample. If the petioles are small, more petioles will need to be collected. If the old leaves are dry, more petioles will need to be collected. The part to be tested is the midrib.

Monitoring program:

Sampling monthly during growing season.



NEW LEAF
(1ST FULLY
EXPLAINED LEAF)

OLD LEAF